

M O U L D I N G S



PRINCELUMBER.COM


DEAR VALUED CUSTOMER

Originally located on Prince Street in 1923, Prince Lumber has proudly served the New York City and metropolitan area for almost 100 years, providing quality materials at competitive prices, courteous service, and prompt, reliable delivery.

Hopefully, this expanded catalog will be of more assistance to you, but please remember that this is not a complete list of the materials and items that are available. If you do not find something here, please call us for more information, and our knowledgeable sales staff will be happy to assist you in purchasing the right materials for your job.

Thank you for your continued patronage.

Sincerely,



Guy Apicella
President



**NEWARK,
NEW JERSEY**

8 Avenue A,
Newark, NJ 07114
(973) 718-7790

**WEST 18TH ST,
NEW YORK, NY**


436 W 18th St,
New York, NY 10011
(212) 924-3262

**WEST 47TH ST,
NEW YORK, NY**

618 W 47th St,
New York, NY 10036
(212) 777-1150

TABLE of CONTENTS


MOULDINGS	Oak Hearth Border67
Astragals & Mullion Centers . 51	Oak Saddles70
Back Bands 36	Panel Mouldings 55
Bases 37-44	Parting Strip 69
Base Caps46-48	Picture Frame..... 56
Base Shoes..... 69	Picture Moulding57
Bed Mouldings 23	Quarter Rounds 59
Brick Moulding67	Raised Panel Caps 56
Caps..... 66	Rounds/Poles61
Casings..... 26-32	Select S4S..... 71
Chair Rails 52-54	Skew Backs (Chamfers) .. 69
Corner Guards..... 65	Solid Crowns..... 20-22
Coves..... 24	Stepping..... 68
Crowns 10-18	Stool 68
Crown Inspiration..... 6-9	Stops.....63-64
Dentil Mouldings19	Wainscoting 68
Drip Caps67	Wainscoting Inspiration5
Edge Mouldings57	
Floor Moulding 69	BUILDING PRODUCTS
Glass Beads 69	Acoustical Ceiling
Half Rounds..... 60	Accessories 90
Hand Rails 58	Bending Plywood.....91
Lattices..... 62	Doors..... 72-80
Nose & Coves 50	Door Jambs88-89
Oak Landing Tread 68	Sub-Floor and Concrete .81-82
	Soundproofing 83-87



Prince Window & Door

"Your Fenestration Solution Center"®

Prince Window & Door services Northern New Jersey and Metro NYC. We specialize primarily in windows, exterior doors, skylights, and decorative hardware. Our experienced staff offers quality and reliable products and services you can count on. With over 30 years of experience in the industry, our friendly and professional consultants are here to answer any questions you may have about our products, company and services.



35 AVENUE A | NEWARK, NJ
877.436.2547 | PRINCEWD.COM

Members of the Newark UEZ Reduced Sales Tax Program

ASK ABOUT OUR
EIGHT STORY
BOOM SERVICE



WAINSCOTING INSPIRATION




- 1" x 3"
- 20MSC175
- 1" x 8"
- 46MCAP2
- Drywall
- 46MCAP2
- 1" x 12"
- 46MCAP2
- 1" x 6"
- 46MCS1




- 47MCAP34
- 47MCAP34
- 1" x 6"
- 47MCAP34
- Drywall
- 47MCAP34
- 1" x 12"
- 47MCAP34
- 1" x 6"
- 46MCS1



- 54NCR1
- Drywall
- 55PA6
- Drywall
- 55PA6
- Drywall
- 43BB7



16CRW8 & 43BB7 Combination



17CRW10 & 38B1 Combination



17CRW9, 22SC6 & 5/4 x 4 Combination



11CRW4 & 43BB7 Combination



32MCC312, 14MCOV6



12MCR514, 32MCC312





12MCR514 Ceiling Step



12MCR514 Wall Step

CROWNS



CROWNS



12MCR714 Ceiling Step



13MCR650 Wall Step



13MCR550 Ceiling Step

12MCR714

1-1/16 x 7-1/4

12MCR514

1-1/16 x 5-1/4

13MCR650

1-1/8 x 6-1/2

13MCR550

1 x 5-1/2

CROWNS




14MCOV8




14MCOV6




15GSC614



14MCOV8
1-1/8 x 7-1/4








14MCOV6
1-1/8 x 5-1/4







15GSC614
1-3/16 x 6-1/4



CROWNS




CROWNS





DENTIL MOULDINGS














SOLID CROWNS











SOLID CROWNS









BED MOULDINGS



COVES



CASINGS



CASINGS

28CC3







28CC2



29CC2



29LK4







CASINGS

30CC1

30CC2

31CC2

31P1




CASINGS

32MCC412 – Edge Outside







32MCC412 – Edge Inside










33MCC334




33MCC375






BACK BANDS




36BB1

11/16 X 1-1/8




36BB2

11/16 x 1-1/8




36MCBB2

1-1/16 x 1-1/16




36MCBB1

1-1/16 x 1-1/16



36BB4


1 x 1-11/16



36BB3


1-3/8 x 1-3/4

BASES




37CB1

9/16 x 3-1/4




37CSB1

9/16 x 3-1/4



37CB2

11/16 x 3-1/2



37CSB2

11/16 x 3-1/2


BASES




38CB3




38B1




39CSB3



39CSB4



38CB3
9/16 x 4-1/4



38B1
11/16 x 4-5/8




39CSB3
9/16 x 4-1/4




39CSB4
9/16 x 5-1/4

BASES



40MCB512

9/16 x 5-1/2




40MCB712

9/16 x 7-1/2



40MCB512 Base, 46MCS1 Shoe



Casing: 32MCC412, Base: 40MCB712


BASES






43BB7 Base & 69SH1 Shoe




43BB6 Base & 69BS1 Shoe




BASES




BASE CAPS




46MCS1
5/8 x 1



46MCAP2
3/4 x 1-1/16



47MCAP1
3/4 x 1-1/16




47MCAP34
5/8 x 1-3/4




46MCS1 Base Cap, 1" x 6", 46MCS1 Shoe Moulding



47MCAP1 Cap, 1" x 8", 46MCS1 Shoe Moulding












46MCAP2 Cap, 1" x 6", 46MCS1 Shoe Moulding










47MCAP34 Cap, 1" x 6", 46MCS1 Shoe Moulding








BASE CAPS




NOSE & COVES





ASTRAGALS & MULLION CENTERS






CHAIR RAILS




CHAIR RAILS





PANEL MOULDINGS







PICTURE FRAME





RAISED PANEL CAPS






PICTURE MOULDINGS











EDGE MOULDINGS




HAND RAILS



QUARTER ROUNDS



HALF ROUNDS



60HR1


1/4 x 1/2

60HR2

5/16 x 3/4

60HR3

7/16 x 7/8




60HR4

9/16 x 1-1/8


60HR5

11/16 x 1-3/8



60HR6

11/16 x 1-5/8



60HR7

1-1/8 x 2-1/4


ROUNDS/POLES



61P01

PINE


3/4



61P02

FIR


1-1/8



61P03

FIR


1-3/8



61P04

FIR

1-5/8




61P05


POPLAR

2-1/4


LATTICES




STOPS




STOPS




64CSD1
3/8 x 1-1/8




64CD1
3/8 x 1-1/8




64CSD2
3/8 x 1-3/8




64CD2
3/8 x 1-3/8




64CSD3
3/8 x 1-5/8



64CD3
3/8 x 1-5/8




64CSD5
9/16 x 1-1/2




64CD4
1/2 x 1-5/8


CORNER GUARDS




65SG1
3/4 x 3/4




65CG1
7/8 x 7/8




65SG2
1-1/8 x 1-1/8



65CG2
1-1/8 x 1-1/8









65SG3
1-3/8 x 1-3/8





65CG3
1-3/8 x 1-3/8


CAPS - SANITARY




DRIP CAPS




BRICK MOULDING




OAK HEARTH BORDER



WAINSCOTING




STEPPING




ALSO AVAILABLE OAK TREADS:
36" x 42" x 48" AND LONGER LENGTHS


STOOL




OAK LANDING TREAD




GLASS BEADS




SKEW BACKS (CHAMFERS)




FLOOR MOULDING




PARTING STRIP



BASE SHOES




OAK SADDLES




4"
700S1

5/8 x 3-5/8



5"
700S2

5/8 x 4-5/8




6"
700S3

5/8 x 5-5/8


SELECT S4S




1/2 x 1-5/8
1/2 x 2-1/2
1/2 x 3-1/2
1/2 x 5-1/2



3/4 x 1-5/8
3/4 x 2-1/2



1-1/8 x 1-5/8
1-1/8 x 2
1-1/8 x 2-1/2



1/2 x 1/2
3/4 x 3/4
1-1/8 x 1-1/8
1-5/8 x 1-5/8




TS Series Doors

TruStile (TS) series doors feature architecturally-correct panel door styles from 1- to 9-panel configurations. Each door is built with genuine stile and rail construction and is never stamped or routed. Our flexible manufacturing process also allows you to customize the look of any TS series door by substituting any panel for glass, resin, leather or metal.




Popular TS Series Door Styles

The complete TS series features over 120 standard door styles




View the complete
TS series at
www.trustile.com


Panel Door Sticking & Moulding Options




Bevel (BV) Sticking




Cove & Bead (CB) Sticking




Roman Ogee (OG) Sticking




Quarter Bead (QB) Sticking




Quarter Round (QR) Sticking




Traditional (TR) Sticking




Square Stick (SS) Sticking




One Step (OS) Sticking




Quirk (QM) Moulding




Bolection (BM) Moulding




Big Bolection (BB) Moulding



Miracle (MR) Moulding




Avant (AV) Moulding




Linea (LN) Moulding


Panel Door Panel Options




Raised (A) Panel




Scoop (B) Panel




Flat (C) Panel



Double Hip (D) Panel



Senior Raised (E) Panel



Senior Bevel (F) Panel

Material Options

TruStile has the material options to fit your unique architectural and personal style. With premium MDF, stain-grade wood, and a wide selection of glass, resin, leather and metal options, TruStile is your one-stop provider of premium doors for every application.

MDF & Wood

Select MDF for painted applications or choose from 20 wood species.



MDF



Cherry



Hickory




Mahogany



Red Oak



Select Alder




Walnut



White Oak

Decorative Glass & Resin


TruStile maintains a large selection of on-trend designs.



White Lami



Dash



Flow




Glue Chip




Reeded



Capiz




Ginkgo Thatch




Ting Ting

Leather & Metal Accents

Create a look that is uniquely yours.




Dashing Old Style




Pampas




Brushed Brass




Hammered Reptilian



Shagreen Caviar



Wagon Lit Navy



Patina Canterbury



Patina Monet




TruStile Modern (TM) Series

TruStile's Tru&Modern (TM) Door Collection consists of over 100 contemporary door styles. With clean, strong lines and bold accents, this collection radically alters the concept of what a door can bring to today's modern and contemporary interiors.



Popular TM Series Door Styles

The complete Tru&Modern Collection features over 100 standard door styles



View the complete
Tru&Modern Collection
www.trustile.com

Other Modern Doors Styles

The perfect complement to today's demand for clean, sophisticated simplicity.



Infinite Rail (TMIR) Series

TMIR6980 in mahogany



Tru&Modern Flush Doors

TMF1000 in plain sawn white oak



Tru&Modern Plank Doors

TMP1000 in rift sawn white oak

Other Panel & Glass Doors Styles

From traditional to transitional, TruStile has a door to match your architectural style.



V-Groove (VG) Series

VG4010 in wire-brushed white oak / TS240 in MDF



French Lite (FL) Series

FL300 in MDF with beveled glass



Panel Lite (PL) Series


PL243 in cherry



The Leader in Engineered Cements

**A COMPLETE LINE SUB-FLOOR AND
CONCRETE RESTORATION PRODUCTS**

How to Determine the Swing of an **EXTERIOR** Door Unit



SELF LEVELING UNDERLAYMENTS

LOCK DOWN

LockDown is a versatile, 100% solids, epoxy resin system that can be used as a vapor suppression, broadcast priming and crack repair. LockDown is designed for use over existing concrete where the level of moisture emissions from the slab exceeds the maximum allowed by the manufacturer of the finished floor covering.

<i>Compressive Strength (28 Day):</i>	5550 psi
<i>Approximate Coverage:</i>	200-400 ft ² depending on substrate
<i>Working Time:</i>	20 Minutes
<i>Accepts Flooring:</i>	4 hours

VERSATILE

LF-210

LF-210 is an economical, cement based, self leveling floor underlayment that is used to create a level, flat and durable surface prior to the installation of finished floor coverings. It is an excellent choice for resurfacing ceramic tile and concrete substrates.

<i>Compressive Strength (28 Day):</i>	5500 psi
<i>Approximate Coverage:</i>	50 ft ² @ 1/8" depth
<i>Application Depths:</i>	Feather to 5"
<i>Working Time:</i>	30+ Minutes
<i>Accepts Flooring:</i>	Within 24 hours
<i>Walkable:</i>	2 - 3 hours

ECONOMICAL GRADE

LEVEL-1

Level-1 is a cement based, interior, self leveling underlayment that can be used to create a smooth, flat or level surface prior to the installation of floor coverings. Its extended working time, low shrinkage and superior leveling properties make it the ideal product for renovation and new construction projects where next day flooring installations are not critical.

<i>Compressive Strength (28 Day):</i>	5000 psi
<i>Approximate Coverage:</i>	50 ft ² @ 1/8" depth
<i>Minimum Application Depth:</i>	1/4"
<i>Working Time:</i>	20+ Minutes
<i>Accepts Flooring:</i>	24 - 48 hours
<i>Walkable:</i>	2 - 3 hours

CEMENT BASED



The Leader in Engineered Cements

A COMPLETE LINE SUB-FLOOR AND CONCRETE RESTORATION PRODUCTS

SKIM-COATS AND PATCHES

RAMPSTAR

RampStar is an interior, quick setting underlayment with excellent workability that makes screeding, ramping or patching fast and easy. RampStar can be used over concrete, terrazzo, ceramic or quarry tile, epoxy coatings, non-water soluble adhesive residue and approved wood subfloors.

<i>Compressive Strength (28 Day):</i>	<i>6000 psi</i>
<i>Approximate Coverage:</i>	<i>50 ft² @ 1/8" depth</i>
<i>Application Depths:</i>	<i>Feather to 2"*</i>
<i>Working Time:</i>	<i>30 Minutes</i>
<i>Accepts Flooring:</i>	<i>60 Minutes</i>
<i>Walkable:</i>	<i>1-2 hours</i>

* Up to 5" in limited areas

PREPSTAR

PrepStar allows for the installation of many floor coverings in as little as 15 minutes. It can be applied over properly prepared concrete, wood, cement based terrazzo, VCT, ceramic, quarry tile, cutback and non-water soluble adhesive residue, all without priming or the use of an additive.

<i>Approximate Coverage:</i>	<i>33 ft² @ 1/8" depth</i>
<i>Application Depths:</i>	<i>Feather to 1/2"</i>
<i>Working Time:</i>	<i>20 Minutes</i>
<i>Accepts Flooring:</i>	<i>30 Minutes</i>


EXTERIOR RESTORATION

CR-90 CONCRETE RESURFACER

CR-90 is a high performance, quick turnaround, concrete resurfacer that when mixed only with water "Makes Old Concrete Look Brand New". CR-90 applications are a cost effective durable answer to expensive concrete replacement. CR-90 is available in white and concrete grey.

<i>Compressive Strength (28 Day):</i>	<i>5000 psi</i>
<i>Approximate Coverage (50 lbs):</i>	<i>50 ft² @ 1/8" depth</i>
<i>Application Depths:</i>	<i>0" to 1/2"</i>
<i>Working Time:</i>	<i>30+ Minutes</i>
<i>Accepts Topical Treatments:</i>	<i>Within 24 hours</i>
<i>Walkable:</i>	<i>1 - 2 hours</i>
<i>Accepts Rubber Wheel Traffic:</i>	<i>Within 8 hours</i>


SOUNDPROOFING



SOUNDPROOF BARRIER Walls & Ceilings

Simple effective product for wall and ceilings; Staple to studs and drywall right over.

Roll Size: 100 sqft
1/8" or 1/4"



GREEN GLUE Walls, Ceilings & Floors

Green Glue will block noise in any existing or new project. Used between 2 sheets drywall, plywood or MDF.

Available: 29 oz. Tubes, 5 Gallon Pail

SLOPING AND RAMPING

FAST WORKING

CONCRETE RESURFACER

QuietRock®


SOUNDPROOF DRYWALL

ULTIMATE UNDERLAY


Premium Floor Soundproofing

Use to float sub floors and wood, tile or carpet. 93% Recycled content for GREEN BUILDING. Heavy enough to block noise and footsteps.


Roll Size: 100 sqft
1/8"-3mm, 1/4"-5mm,
3/8"-10mm, 1/2"-12mm,
and 5/8"-15mm



Floated Wood Floor



Double Plywood Floated Floor




RESILMOUNT CLIPS

Walls & Ceilings

Resilmount soundproofing clips work with standard drywall and drywall channel. 2X the performance of resilient channel or "quiet" sheetrock.

More performance at a lower installed cost than any other option.



RESILMOUNT A96R

Ceilings

Added angle bracket allows 4" drop for Piping, and leveling of uneven joist. Ideal for low ceilings where minimal height is available.



RESILIENT SOUND ISOLATION CLIPS

The Sound of Silence

RSIC-1

For Wall & Floor Ceiling Assemblies



The RSIC-1 is designed for use with any wood, steel or concrete application where noise control is required. This includes wood framed, steel framed, CMU, or concrete wall and or ceiling systems. The RSIC-1 assembly decouples the gypsum board from the structure, giving the assembly enhanced acoustical performance.

RSIC-DC04


Resilient Sound Isolation DeCouple Clip

The RSIC-DC04™ is a very versatile clip. The most common use is the decoupling of wall systems. Possible uses include:

- Dropped Ceiling
- Garage door motor isolation
- Decoupled connector for isolating walls built with another wall
- Projector Isolators
- Speaker Isolators
- Vent Fan Isolators
- Electrical box or ceiling fan isolators

RSIC-1.5CRC

Resilient Sound Isolation Clip for 1 1/2" Cold Rolled Channel



The RSIC-1.5CRC™ is designed for use with any joist or concrete application where a dropped drywall ceiling is required. This assembly decouples the Gypsum Board from the floor structure above, giving the assembly enhanced acoustical performance, while allowing for a chase to hide mechanical ducting and plumbing lines.

RSIC-1EXT04

Resilient Sound Isolation Clip for Ceiling Assembly



The RSIC-EXT04™ is designed for use where an additional drop for HVAC, Plumbing, or Electrical Chases is needed. This clip gives you the flexibility to drop a ceiling as much as 4" from its original height. The RSIC-1 EXT04™ is also used to level out uneven floor joists. It creates a dropped ceiling, allowing an open chase for the new wires, all while retaining the superior acoustical performance of the RSIC clips.

As manufacturers of the world renowned EzyJamb® door jamb systems, the EZ Concept range of openings and finishings products, by Studco Building Systems, produce minimalistic flush finishes to eliminate trims, baseboards and traditional timber systems for commercial, residential and industrial interiors.

EzyJamb

The Flush Finish Frameless Steel Door Jamb System

EzyJamb® flush finish door jamb systems create seamless clean lines and eliminates the need for trims around the door frame.

Providing a modern and defining feature to your project; EzyJamb® conceals the door frame and creates square set interiors, as the unique frameless jamb system wraps the drywall during framing and blends seamlessly with the wall.

EzyJamb® is available in a range of single or double jamb profiles.



Classic Adjust (EJC)



Inswing Door (ISD)



Single Rabbet Door Frame (SRC)



Double Rabbet Door Frame (DRC)




Classic Adjust (EJC)



Inswing Door (ISD)

CavKit



Cavkit turns a traditional pocket door into a seamless flush finish door



Transform standard pocket doors into trim-free pocket doors with CavKit; a flush finish system that trims and caps the drywall edges around the door penetration to create a pocket door that can be hidden when open and provide privacy when closed.

SlideSet

The flush finish pocket door solution



Create fluidity between rooms with SlideSet; the flush finish pocket door system that gives the ability to completely conceal the door and give the impression that the door does not exist when open and complete privacy when closed when utilising our flush jamb system.

RocYork


Concealed door hinges



Rocyork concealed door hinges offer an architectural allow uninterrupted clean lines around internal doors for the ultimate square-set interior. Featuring a fully adjustable patented 3D alignment system, the invisible hinges come with a super strong rating up to suit your door capacity.

ACOUSTICAL CEILING ACCESSORIES

Ceiling Assembly
(Black Iron)



BENDING PLYWOOD

1/8" POPLAR
3/8" WIGGLE LAUAN



BENDING 8' X 4' COUNTER
4' HIGH TUBE



BENDING 4' X 8' COLUMN
8' HIGH TUBE

NOTES



PROUDLY SELLS





NEWARK, NEW JERSEY

8 Avenue A,
Newark, NJ 07114

(973) 718-7790

WEST 47TH ST, NEW YORK, NY

618 W 47th St,
New York, NY 10036

(212) 777-1150



WEST 18TH ST, NEW YORK, NY

436 W 18th St,
New York, NY 10011

(212) 924-3262

**SERVING THE 5 BOROUGHS
SINCE 1923**

**Materials Cut to Size
Fast, Same Day Delivery Available
Pick-Up Orders Loaded Promptly**

PRINCELUMBER.COM